

HRP16: Aviation and Drone Operations

Section 1 - Purpose and Scope

- (1) The purpose of this procedure is to ensure that the management of risks associated with aviation and drone operations at Southern Cross University (SCU) are appropriately managed and controlled.
- (2) The purpose of this procedure is to ensure Southern Cross University's management, employees, contractors, students, visitors and others are aware of the risks associated with aviation and drone operation in the workplace, management strategies and to provide advice on appropriate controls.
- (3) All employees, students and others including both independent contractors and contractors under SCU control are to be made aware of and follow this procedure.
- (4) This Procedure applies to all SCU Work Units and sites. The procedure aligns with WHS legislation in the relevant jurisdictions SCU operates in.
- (5) This Procedure should be read in conjunction with the SCU Remotely Piloted Aircraft Operations Manual (RPA Operations Manual) and Remotely Piloted Aircraft (Drone) Policy.

Section 2 - Definitions

Remotely Piloted Air Operator's Certificate (ReOC)	Commercial drone operators must hold a Remotely Piloted Air Operator's Certificate issued by CASA.
Civil Aviation Safety Authority (CASA)	A government body that regulates Australian aviation safety, licensing of pilots and registration of aircraft.
Chief Remote Pilot	Person responsible for operational management, regulatory compliance, risk assessment, and training for drone operations.
Competent Person	Organisations and service providers assessed by the SCU maintenance controller (MC) as competent to provide Remotely Piloted Aircraft Systems (RPAS) maintenance services.
Defect	Any confirmed abnormal condition of an item, irrespective of whether the condition could eventually fail. In addition to imperfections that may impair the structure, composition or function of the RPAS, the scope of this definition encompasses any intermittent failure, spurious warning or fault in the operation of a RPAS that may cause it to deviate from the manufacturer's specifications.
Hazard	A situation or thing that has the potential to harm a person. Hazards at work may include: noisy machinery, a moving forklift, chemicals, electricity, working at heights, a repetitive job, bullying and violence at the workplace.
MC	Maintenance Controller
Official authorisation	An authorisation, however termed, from CASA, Air services Australia, or any other authority responsible for providing an aviation authorisation, including the controlling authority of a prohibited or restricted area.
RP	Remote Pilot

RPA	A remotely Piloted Aircraft, previously referred to as an Unmanned Aerial Vehicle (UAV) and also known as a drone.
RPAS	Remotely Piloted Aircraft System
RiskWare	Electronic database for the reporting of all incidents, near misses, and hazards. RiskWare includes the investigation of incidents against systemic causes, the assignment of corrective actions, and regulatory and performance reporting.
Significant change	Please refer to CASA for definition dependant on the relevant legislation.
Visual meteorological conditions	For SCU RPA operations, this refers to a horizontal visibility greater than 5000 metres and clear of cloud. For manned aircraft see CASA definitions, depends on airspace, altitude, and height above ground level.

Section 3 - General Principles

SCU Aircraft

(6) Eastern Air Services is the registered operator of the SCU aircraft VH-AEV. SCU minimises the risks arising from SCU owned aircraft flown commercially or privately by:

- a. Ensuring all employees, contractors, students, and others have access to this procedure and will be inducted into the SCU WHS Safety Management System and the Eastern Air Services Safety Management System.
- b. Ensuring that all employees, contractors, students and others are competent in the execution of their duties.
- c. All employees, contractors, students and others must comply with relevant instructions and procedures as directed by the Eastern Air Services Pilot.
- d. Ensure all SCU records relating to commercial flights and plane maintenance performed by contracted services meet regulatory requirements.

Remotely Piloted Aircraft (Drones)

(7) SCU minimises the risks arising from Remotely Piloted Aircraft (RPAs) through the latest version of the RPA Operations Manual and RPAS Operational Library.

Other aircraft

(8) Should research aircraft operated by other parties be mentioned? E.g. other universities, sub-contractors, charter helicopters / aircraft, private owned if used for SCU travel etc.

Consultation

(9) Effective communication and coordination between the university, maintenance providers, and pilots are essential to ensure a cohesive approach to aviation safety.

(10) SCU ensures consultation and communication with employees, managers, contractors and others who participate in activities relating to the operation, maintenance, service and supervision of aircraft, including all contractors, such as Eastern Air Services. Documentation such as the SCU Science flight briefing and authorisation form supports this coordination.

Information, Instruction and Training

(11) Southern Cross University (SCU) owns aircraft/s and contracts out management of aircraft operations, maintenance and hires commercial pilots for operations through Eastern Air Services. The following rules and guidelines apply to ensure the highest standards of aviation safety are maintained:

- a. Pilot Licensing and Responsibilities
- b. Licensing: Pilots must be appropriately licensed for the type of operations they conduct, whether private or commercial, as required by the Australian civil aviation regulations.
- c. Medical Certification: Pilots must hold a valid medical certificate and meet specific medical standards commensurate with the type of operation, as required by the Australian civil aviation regulations.
- d. Training and Competency: Pilots are required to undergo continuous training and periodic reviews to maintain their skills and competencies, as required by the Australian civil aviation regulations.
- e. Aircraft Maintenance and Airworthiness
- f. Maintenance Providers: Only approved and CASA certified maintenance providers are permitted to conduct maintenance on the SCU aircraft.
- g. Record Keeping: Meticulous records of all maintenance activities must be maintained and regularly reviewed.
- h. Airworthiness Standards: The aircraft must comply with all airworthiness standards, ensuring it is safe to operate.
- i. Operator and Commercial Operations
- j. Air Operator's Certificate (AOC): Commercial operators must hold an AOC issued by the Civil Aviation Safety Authority (CASA), demonstrating compliance with safety standards and operational requirements.
- k. Operational Oversight: CASA conducts routine and unscheduled surveillance, including audits and ramp checks, to ensure ongoing compliance.
- l. Private vs. Commercial Operations
- m. Private Flights: When flying privately, the pilot has sole responsibility for the flight's safety and must ensure the aircraft is airworthy.
- n. Commercial Flights: Commercial operators face more stringent requirements, including higher standards for pilot licensing, maintenance, and operational oversight.
- o. Reporting and Compliance
- p. Safety Obligations: Both private and commercial pilots must adhere to aviation safety rules and regulations.
- q. Incident Reporting: CASA encourages reporting any suspected unsafe behaviour or non-compliance to ensure aviation safety is maintained.

Equipment use and planning

(12) SCU employees must have a flight plan, approved by the SCU Aircraft Safety Officer. Eastern Air Services submits their flight plan to the Eastern Air Services Chief Pilot for sign off.

(13) All incidents, near misses and hazards related to the operation of SCU aircraft must be reported in Riskware.

(14) All incidents and accidents that relate to operations of SCU aircraft must also be reported to the Australian Transport Safety Bureau (ATSB) by Eastern Air Services.

(15) The Regulations define occurrences that must be reported to the ATSB as “immediately reportable”, which must be reported by telephone as soon as reasonably practical, and “routine reportable” matters, which can be notified to the ATSB by a written report within 72 hours.

(16) All notifiable incidents must also be notified to the WHS regulator immediately after becoming aware that a notifiable incident arising out of the conduct of the operations of SCU aircraft has occurred by Eastern Air Services.

Occurrence	ATSB Reporting requirement
------------	----------------------------

<p>Death or serious injury to a person</p>	<p>Report as soon as is reasonably practicable by phoning the ATSB on: 1800 011 034 Follow up with a written report to ATSB within 72 hours. Report to State Regulator on: NSW - 13 10 50 QLD - 1300 362 128 immediately you become aware and follow up with written notice within 48 hours.</p>
<p>RPA missing RPA suffering serious damage (or reasonable grounds to believe it may be seriously damaged) RPA inaccessible with reasonable grounds to believe it may be seriously damaged Serious property damage Loss of separation</p>	<p>(17) Submit a written report within 72 hours to Occurrence Notification - Aviation ATSB</p>

Section 4 - Roles and Responsibilities

(18) The SCU Vice Chancellor has the following responsibilities relating to SCU's Aviation and RPA Operations:

- a. Ensure appropriate competent resources have been appointed in WHS roles commensurate to the risk profile of SCU including the appointment of a competent person to advise SCU Management on their WHS duties relating to SCU aircraft operations and RPAs and ensure that they are being discharged properly.
- b. Ensure those under their direct management receive adequate information, instruction and training necessary to discharge their duties relating to SCU aircraft operations and RPA's.
- c. Ensure SCU has sufficient suitably experienced, qualified and competent employees, and a suitable management structure.
- d. Co-operate with the requirements or advice given by regulatory/enforcing authorities and the WHS Manager in terms of WHS legislative requirements.
- e. Review the findings from significant accidents/incidents ensuring lessons learnt are shared across the business.
- f. Take such disciplinary measures as necessary when breaches of WHS, ATSB, CASA or the RPA Operations Manual requirements occur in line with disciplinary procedures.
- g. A change of key employees is considered a significant change and requires prior approval from CASA. Wherever possible, the SCU VC will ensure the change of employees is approved by CASA before the holder of a key position vacating that position.

(19) Vice Presidents/Pro/Deputy Vice Chancellors have the following responsibilities relating to SCU's aviation and RPA operations:

- a. Ensure procedures are followed to ensure the airworthiness of both planes and pilots.
- b. Ensure appropriate competent resources have been appointed to manage the risk of private flights, commercial flights, and RPA operations, commensurate to the risk profiles of SCU.
- c. Ensure material and financial resources are available to meet the requirements of the SCU aviation and RPA operations.
- d. Ensure those under their direct management receive adequate information instruction and training relating to SCU aviation and RPA operations.
- e. Co-operate with the requirements or advice given by the Regulators/Enforcing Authorities.
- f. Review the findings from significant accidents/incidents ensuring lessons learnt are shared across SCU.
- g. Establish and regularly review SCU private flight and RPA's safety performance indicators and targets.
- h. Ensure that SCU aviation and RPA's approved documented practices and procedures are monitored and

managed for continuous improvement.

- i. Ensure that key employees satisfactorily carry out the responsibilities of their positions in accordance with this procedure, operations manual and the relevant civil aviation legislation.
- j. Ensure that CASA is notified any of change of:
- k. SCU CRP's name, address or contact details;
- l. The registered operator of the SCU Aircraft (currently EAS);
- m. Changes to RPA's;
- n. Nominated employees; and
- o. Financial status where the change may impact the safety of SCU aviation and RPA operations.
- p. Review the findings from significant accidents/incidents ensuring lessons learnt are shared across SCU.

(20) Head of Work Units have the following responsibilities relating to SCU aviation and RPA operations:

- a. Comply with the RPA Operations Manual.
- b. Ensure regular inspections and monitoring have been conducted for identified tests/equipment within their responsibility.
- c. Ensure any SCU aviation and RPA related hazards or incidents are reported in RiskWare.
- d. Ensure appropriate disciplinary measures occur where intentional breaches of this procedure are identified.
- e. Ensure that prior to approving a project which involves commercial flight for employees under their control, there has been a comprehensive plan submitted outlining the following:
 - f. Lead or supervising employee/lecturer.
 - g. Duration of the project.
 - h. Number of employees/students participating.
 - i. Equipment required to undertake the task.
 - j. Additional safety requirements e.g., personal protective equipment; qualifications/certifications; in-house training.
- k. Risk assessment with approval from the Head of Work Unit.

Chief Remote Pilot (CRP)

(21) The CRP is responsible for safely managing the RPA operations of {SCU RPA}. Without limiting the duties and accountabilities of the CRP, the CRP must:

- a. Ensure that RPA operations are conducted in accordance with relevant civil aviation legislation.
- b. Ensure that pilots and crew are suitably qualified and have appropriate experience and skills to enable them to satisfactorily fulfil the duties of their position.
- c. Maintain a record of qualifications held by the RP and OC.
- d. Monitor the operational standards and proficiency of the RP and OC.
- e. Review compliance and facilities by:
 - f. Conducting internal audits;
 - g. Reviewing audit findings; and
 - h. Taking any necessary corrective action to rectify deficiencies as soon as possible.
- i. Review scheduling and rostering of crew to ensure that fatigue does not adversely affect the safety of operations.
- j. Provide the RP and OC with ready access to all documents and manuals necessary to ensure the safety of all flights.
- k. Advise the SCU VC of any matter pertaining to RPA operations that is relevant to the SCU VC's duties.

I. Maintenance Controller (MC)

- m. The MC is responsible for ensuring that SCU RPA's operating RPAS are properly maintained. Without limiting the duties and accountabilities of the MC, the MC must:
 - n. Control all RPAS maintenance, either scheduled or unscheduled.
 - o. Keep records of all employees permitted to perform maintenance on RPA, including details of their training and qualifications in the RPAOM.
 - p. Develop, enforce and monitor RPAS maintenance standards.
 - q. Maintain a record of RPAS defects and unserviceability issues.
 - r. Ensure that each item of equipment essential to the operation of SCU RPA's RPA is serviceable before being released to service.
 - s. Maintain a thorough technical knowledge of RPAS operating under the authority of the ReOC of SCU RPA.
 - t. Ensure that all maintenance activities are conducted in accordance with the procedures detailed in the RPAOM.
 - u. Investigate all significant defects in the RPAS.
 - v. Monitor the failure rates of RPAS components and impose additional maintenance requirements as necessary to ensure the safety of operations.

(22) Employees:

- a. Must not place themselves or other employees at risk of injury.
- b. Must follow all related procedures and instructions.
- c. Must complete any training and adhere to PPE requirements.
- d. Are to report any RPA related hazards and incidents in RiskWare.
- e. Section 5 - Records of Documentation
- f. Copies of this procedure that are not accessed directly from the system are designated as uncontrolled. Uncontrolled copies of the manual are not to be used unless the copy is verified to be identical to the current edition of the manual stored in the system.
- g. All employees must provide a written acknowledgement (an electronic acknowledgement such as an email is permitted) to the CRP stating that they have accessed, read and understood this manual before carrying out any duty essential to the control or navigation of an RPA.

(23) Records fall into 4 categories:

- a. Employees records
- b. Flight-related records
- c. RPA-related records
- d. Administrative records.

(24) The CRP is responsible for managing employees, flight-related and administrative records. The MC is responsible for managing RPA-related records.

Type of record	Minimum retention period
Training event	7 years after date on which the record was made
Checking event	7 years after date on which the record was made
Attainment of RP qualification (including relevant qualifications held before commencement of employment)	7 years after date of the RP's last operation of an RPA for SCU RPA
Attainment of qualification of competency in relation to the safety of RPA operations (other than RP duties)	7 years after date on which the person ceases to be employed by SCU RPA

RP logbook	7 years after date of the RP's last operation of an RPA for SCU RPA
Flight Record	7 years after date on which the record was made
Written consent to operate at a distance of less than 30 metres from a person	7 years after date on which the consent was provided
RPAS Technical Log	7 years after the last time the RPA is operated by the operator
Register of RPA operated by SCU RPA including manufacturer, model, maximum gross weight and serial number	7 years after date on which the record was made
Acknowledgement of access to and understanding of SCU RPA operations manual version	7 years after the acknowledgement is made
Register of persons (other than the CRP) permitted to conduct training and checking (if applicable)	7 years after the last time training or checking is provided by the trainer
Compliance audit record	7 years from the date of the audit
Risk register	For each version of the register, 12 months after a new version is issued
Safety occurrence register	For each safety occurrence entry in the register, 7 years from date of occurrence

Section 5 - Revision and approval history

(25) This procedure will be reviewed as per nominated review dates or because of other events, such as:

- a. Internal and external audit outcomes.
- b. Legislative changes.
- c. Outcomes from management reviews.
- d. Incidents.

Section 6 - References

Civil Aviation Act 1988
Airspace Act 2007
Civil Aviation Safety Regulations 1998
Civil Aviation Regulations 1988
Civil Aviation Orders
Airspace Regulations 2007
Australian Government Civil Aviation Safety Authority - Manuals of Standards
Airworthiness Directives
Work Health and Safety Act 2011
Work Health and Safety Regulation 2011 (QLD) 2017 (NSW)

Section 7 - Related Documents

SCU Remotely Piloted Aircraft Operations Manual
Remotely Piloted Aircraft (Drone) Policy
SCU Science flight briefing and authorisation form
SCU scientific flight preparation checklist
SCU Aircraft Instrument Operator / Flight Scientist Induction
SCU Aircraft Safe Operating Procedure (VQ-840-G LiDAR Flight)

Status and Details

Status	Current
Effective Date	9th December 2024
Review Date	9th December 2027
Approval Authority	Vice President (People and Culture)
Approval Date	9th December 2024
Expiry Date	Not Applicable
Responsible Executive	Kim Franks Vice President (People and Culture)
Head of Work Unit	Brendan Pearce Director, Workplace Relations
Enquiries Contact	Shaun Brown Manager, Workplace Health and Safety